























































## FG Diamonds Overview

Page	Shape	ISO#	Ref.
4+22	 ROUND	001, 001LP, 697 (page 22)	801, 801LP, 801L (page 22)
5	 ROUND with collar	002	802
5	 INVERTED CONE short head	010	805
5	 INVERTED CONE with collar	019	806
6	 DIABLO	032, 032L	813, 813L
6	 POINTED BUD	033	899
6	 BARREL	038, 039	811S, 811
6	 WHEEL	041	815
6	 WHEEL with shoulder	055	824
6-7	 WHEEL rounded rim	067, 068	909
7-8	 FLAT END CYLINDER	108, 109, 110, 111, 112	835, 836, 837, 837L
8	 BEVELED CYLINDER	129, 130, 131	884, 885, 886
8-9	 ROUND END CYLINDER	138, 139, 140, 141, 142	838, 880, 881, 882
9	 KS CYLINDER	146	883
10	 END CUTTING CYLINDER	150	839
10	 ROUND EDGE CYLINDER	156, 157, 158	835KR, 836KR, 837KR
10-11	 POINTED CONE	161, 164, 165, 166, 167	851, 852, 858, 859, 859L
11-13	 FLAT END TAPER	169, 170, 171, 172, 173, 174	845, 846, 847, 848, 848L
13	 FLAME OGIVAL SAFE END	190	-----
15	 SAFE END	219, 220	-----
13-15	 ROUND END TAPER	196, 197, 198, 198L, 199, 200	849, 855, 856, 856L, 850, 850L
15	 INVERTED CONE	225, 226	807, 807L
15-16	 PEAR	233, 234, 237, 238	830, 830L, 830R, 830RL
16-17	 FLAME	243, 246, 247, 248, 249, 250	860, 861, 862, 863
17	 BUD	254, 257	831, 368
18	 BUD slender	263	369
18	 EGG	277, 277L	379, 379L
18	 TORPEDO	288, 289, 290	877, 878, 879
19	 GINGIVAL CURETTAGE	297, 298, 299	877K, 878K, 879K
19	 LENTICULAR	304	825
20	 INTERDENTAL	465	392
20	 POINTED FLAME	496	888
20	 GUIDE PIN CYLINDER	508C	-----
20	 GUIDE PIN TAPER	508T	-----
20	 GROSS REDUCTION CYLINDER	511, 512, 513, 514	RC5, RC7, RC8, RC9
20-21	 GROSS REDUCTION TAPER	516, 517, 519, 521	RT4, RT6, RT8, RT9
21	 FLAME NEEDLE short head	536, 539, 540	883S, 883, 889
21-22	 ROUND EDGE TAPER	544, 545, 546, 553	845KR, 846KR, 847KR, 848KR
22	 DEPTH MARKER	552	834






FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse




**001 - 801 ROUND**

	001-009	801	009	0.9	19.0			001-009F	001-009M	001-009C	
	001-010	801	010	1.0	19.0			001-010F	001-010M	001-010C	001-010XC
	001-012	801	012	1.2	19.0			001-012F	001-012M	001-012C	001-012XC
	001-014	801	014	1.4	19.0		001-014XF	001-014F	001-014M	001-014C	001-014XC
	001-016	801	016	1.6	19.0		001-016XF	001-016F	001-016M	001-016C	001-016XC
	001-017	801	017	1.7	19.0			001-017F	001-017M	001-017C	001-017XC
	001-018	801	018	1.8	19.0	001-018UF	001-018XF	001-018F	001-018M	001-018C	001-018XC
	001-020	801	020	2.0	19.0		001-020XF	001-020F	001-020M	001-020C	001-020XC
	001-021	801	021	2.1	19.0			001-021F	001-021M	001-021C	001-021XC
	001-023	801	023	2.3	19.0	001-023UF	001-023XF	001-023F	001-023M	001-023C	001-023XC
	001-025	801	025	2.5	19.0			001-025F	001-025M	001-025C	001-025XC
	001-029	801	029	2.9	19.0			001-029F	001-029M	001-029C	001-029XC
	001-033	801	033	3.3	19.0		001-033XF	001-033F	001-033M	001-033C	
	001-042	801	042	4.2	19.0				001-042M		

**001 - 801 ROUND | Short**


	001-006S	801	006	0.6	16.5 short			001-006SF			
	001-010S	801	010	1.0	16.0 short				001-010SM	001-010SC	
	001-012S	801	012	1.2	16.0 short				001-012SM		
	001-014S	801	014	1.4	16.0 short				001-014SM	001-014SC	
	001-018S	801	018	1.8	16.0 short				001-018SM	001-018SC	
	001-024S	801	024	2.4	17.5 short			001-024SF	001-024SM	001-024SC	001-024SXC

**001LP - 801LP ROUND | Long Perio**

	001-014LP	801LP	014	1.4	28.0 long			001-014LPF	001-014LPM		
	001-017LP	801LP	017	1.7	28.0 long			001-017LPF	001-017LPM		
	001-021LP	801LP	021	2.1	28.0 long			001-021LPF	001-021LPM		









**697 - 801L ROUND | Long Neck on page 22**

--	--	--	--	--	--	--	--	--	--	--	--












FG Diamonds	ISO No.	Ref.	Head ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse











**002 - 802 ROUND with collar**


	002-010	802	010	2.2	19.0				002-010M	002-010C	
	002-012	802	012	2.2	19.0			002-012F	002-012M	002-012C	
	002-014	802	014	2.2	19.0				002-014M	002-014C	
	002-017	802	017	2.5	19.0			002-017F	002-017M	002-017C	002-017XC
	002-018	802	018	2.7	19.0				002-018M	002-018C	
	002-021	802	021	2.7	19.0			002-021F	002-021M	002-021C	002-021XC
	002-033	802	033	4.5	19.0			002-033F	002-033M	002-033C	
	002-014S	802	014	2.2	16.0 short				002-014SM	002-014SC	

**010 - 805 INVERTED CONE short head**

	010-009	805	009	0.9	19.0				010-009M		
	010-010	805	010	1.0	19.0				010-010M		
	010-012	805	012	1.5	19.0			010-012F	010-012M	010-012C	
	010-014	805	014	1.5	19.0			010-014F	010-014M	010-014C	010-014XC
	010-016	805	016	1.5	19.0			010-016F	010-016M	010-016C	010-016XC
	010-019	805	019	1.7	19.0			010-019F	010-019M	010-019C	010-019XC
	010-021	805	021	1.9	19.0			010-021F	010-021M	010-021C	010-021XC
	010-012S	805	012	1.5	16.0 short				010-012SM	010-012SC	
	010-017S	805	017	1.5	16.0 short				010-017SM	010-017SC	





**019 - 806 INVERTED CONE with collar**

	019-009	806	009	2.2	19.0				019-009M		
	019-010	806	010	2.2	19.0				019-010M		
	019-012	806	012	2.2	19.0			019-012F	019-012M	019-012C	
	019-014	806	014	2.2	19.0				019-014M	019-014C	019-014XC
	019-017	806	017	3.0	19.0			019-017F	019-017M	019-017C	019-017XC
	019-019	806	019	3.0	19.0				019-019M	019-019C	019-019XC
	019-021	806	021	3.5	19.0				019-021M	019-021C	019-021XC
	019-010SH	806	010	2.2	14.5 Xshort				019-010SHM		
	019-012S	806	012	2.2	16.0 short				019-012SM	019-012SC	
	019-017S	806	017	3.0	16.0 short				019-017SM	019-017SC	






FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse


**032 - 813 DIABLO**

	032-012	813	012	1.5	19.0				032-012F	032-012M	032-012C	
	032-014	813	014	1.5	19.0				032-014F	032-014M	032-014C	
	032-016	813	016	1.5	19.0					032-016M	032-016C	
	032-014S	813	014	1.5	16.0 short					032-014SM	032-014SC	


**032L - 813L DIABLO**

	032L-010	813L	010	2.2	19.0					032L-010M		
	032L-012	813L	012	2.2	19.0				032L-012F	032L-012M	032L-012C	
	032L-014	813L	014	2.3	19.0					032L-014M	032L-014C	
	032L-016	813L	016	2.3	19.0				032L-016F	032L-016M	032L-016C	
	032L-018	813L	018	2.3	19.0					032L-018M	032L-018C	




**033 - 899 POINTED BUD**

	033-027	813	027	7.0	21.0				033-027F	033-027M		
--	---------	-----	-----	-----	------	--	--	--	----------	----------	--	--

**038 - 811S BARREL**

	038-033	811S	033	4.5	19.5					038-033M	038-033C	038-033XC
--	---------	------	-----	-----	------	--	--	--	--	----------	----------	-----------


**039 - 811 BARREL**

	039-033	811	033	5.5	21.0				039-033F	039-033M	039-033C	039-033XC
	039-037	811	037	7.0	21.5					039-037M	039-037C	039-037XC
	039-048	811	048	7.0	22.0					039-048M		



**041 - 815 WHEEL**

	041-017	815	017	1.0	19.0					041-017M	041-017C	
	041-027	815	027	1.0	19.0					041-027M		
	041-035	815	035	0.7	19.0					041-035M		
	041-038	815	038	1.8	19.0					041-038M	041-038C	041-038XC
	041-050	815	050	2.0	19.0					041-050M		


**055 - 824 WHEEL with shoulder**

	055-042	824	042	0.5	19.0					055-042M	055-042C	
--	---------	-----	-----	-----	------	--	--	--	--	----------	----------	--

**067 - 909 WHEEL rounded rim**








	067-036	909	036	1.2	19.0				067-036F	067-036M	067-036C	
	067-035S	909	035	1.2	16.5 short					067-035SM	067-035SC	






FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse


**111 - 837 FLAT END CYLINDER**

	111-010	837	010	8.0	22.0				111-010M	111-010C	111-010XC
	111-012	837	012	8.0	22.0		111-012XF	111-012F	111-012M	111-012C	111-012XC
	111-014	837	014	8.0	22.0		111-014XF	111-014F	111-014M	111-014C	111-014XC
	111-016	837	016	8.0	22.0			111-016F	111-016M	111-016C	111-016XC
	111-018	837	018	8.0	22.0			111-018F	111-018M	111-018C	111-018XC
	111-019	837	019	8.0	22.0				111-019M	111-019C	111-019XC
	111-016S	837	016	8.0	19.5 short				111-016SM	111-016SC	111-016SXC






**112 - 837L FLAT END CYLINDER**

	112-014	837L	014	10.0	24.0				112-014M	112-014C	
--	---------	------	-----	------	------	--	--	--	----------	----------	--






**129 - 884 BEVELED CYLINDER**

	129-012	884	012	6.0	21.0				129-012M	129-012C	
--	---------	-----	-----	-----	------	--	--	--	----------	----------	--




**130 - 885 BEVELED CYLINDER**


	130-010	885	010	8.0	22.0				130-010M	130-010C	
	130-012	885	012	8.0	22.0		130-012XF	130-012F	130-012M	130-012C	130-012XC
	130-014	885	014	8.0	22.0		130-014XF	130-014F	130-014M	130-014C	130-014XC
	130-016	885	016	8.0	22.0				130-016M	130-016C	130-016XC
	130-012S	885	012	8.0	19.5 short		130-012SXF	130-012SF	130-012SM	130-012SC	

**131 - 886 BEVELED CYLINDER**

	131-010	886	010	10.0	24.0				131-010M	131-010C	
	131-012	886	012	10.0	24.0		131-012XF	131-012F	131-012M	131-012C	131-012XC
	131-014	886	014	10.0	24.0		131-014XF	131-014F	131-014M	131-014C	131-014XC
	131-016	886	016	10.0	24.0			131-016F	131-016M	131-016C	
	131-012S	886	012	10.0	21.5 short		131-012SXF	131-012SF	131-012SM	131-012SC	





**138 - 838 ROUND END CYLINDER**

	138-010	838	010	3.0	19.0				138-010M		
	138-007S	838	007	2.0	16.5 short			138-007SF			
	138L-007S	838	007	3.8	16.5 short			138L-007SF			








FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse








**139 - 838 ROUND END CYLINDER**

	139-009	838	009	4.0	19.0					139-009M		
	139-010	838	010	4.0	19.0					139-010M	139-010C	
	139-012	838	012	4.0	19.0		139-012XF	139-012F		139-012M	139-012C	
	139-014	838	014	4.0	19.0		139-014XF	139-014F		139-014M	139-014C	139-014XC



**140 - 880 ROUND END CYLINDER**

	140-012	880	012	6.0	21.0		140-012XF	140-012F		140-012M	140-012C	140-012XC
	140-014	880	014	6.0	21.0					140-014M	140-014C	140-014XC
	140-010S	880	010	7.0	19.0 short			140-010SF		140-010SM	140-010SC	
	140-012S	880	012	7.0	18.5 short		140-012SXF	140-012SF		140-012SM	140-012SC	140-012SXC
	140-014S	880	014	7.0	19.0 short			140-014SF		140-014SM	140-014SC	140-014SXC



**141 - 881 ROUND END CYLINDER**

	141-010	881	010	8.0	22.0					141-010M	141-010C	
	141-012	881	012	8.0	22.0		141-012XF	141-012F		141-012M	141-012C	141-012XC
	141-014	881	014	8.0	22.0		141-014XF	141-014F		141-014M	141-014C	141-014XC
	141-016	881	016	8.0	22.0		141-016XF	141-016F		141-016M	141-016C	141-016XC
	141-018	881	018	8.0	22.0					141-018M	141-018C	141-018XC
	141-014S	881	014	8.0	19.5 short		141-014SXF	141-014SF		141-014SM	141-014SC	141-014SXC
	141-016S	881	016	8.0	19.5 short		141-016SXF	141-016SF		141-016SM	141-016SC	141-016SXC


**142 - 882 ROUND END CYLINDER**

	142-012	882	012	10.0	24.0		142-012XF	142-012F		142-012M	142-012C	142-012XC
	142-014	882	014	10.0	24.0					142-014M	142-014C	142-014XC

**146 - 883 KS CYLINDER**






	146-012S	883	012	7.0	20.0 short					146-012SM	146-012SC	146-012SXC
	146-014S	883	014	8.0	20.0 short					146-014SM	146-014SC	146-014SXC












FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse




**165 - 858 POINTED CONE**

	165-010	858	010	8.0	22.0			165-010F	165-010M	165-010C	
	165-012	858	012	8.0	22.0		165-012XF	165-012F	165-012M	165-012C	
	165-014	858	014	8.0	22.0	165-014UF	165-014XF	165-014F	165-014M	165-014C	165-014XC
	165-016	858	016	8.0	22.0		165-016XF	165-016F	165-016M	165-016C	165-016XC
	165-014S	858	014	8.0	19.5 short	165-014SUF	165-014SXF	165-014SF	165-014SM	165-014SC	



**166 - 859 POINTED CONE**

	166-010	859	010	10.0	24.0		166-010XF	166-010F	166-010M	166-010C	166-010XC
	166-012	859	012	10.0	24.0		166-012XF	166-012F	166-012M	166-012C	
	166-014	859	014	10.0	24.0		166-014XF	166-014F	166-014M	166-014C	166-014XC
	166-016	859	016	10.0	24.0	166-016UF	166-016XF	166-016F	166-016M	166-016C	166-016XC
	166-017	859	017	10.0	24.0		166-017XF	166-017F	166-017M	166-017C	166-017XC
	166-018	859	018	10.0	24.0		166-018XF	166-018F	166-018M	166-018C	
	166-019	859	019	10.0	24.0		166-019XF	166-019F	166-019M	166-019C	166-019XC
	166-014S	859	014	10.0	21.5 short	166-014SUF	166-014SXF	166-014SF	166-014SM	166-014SC	166-014SXC
	166-016S	859	016	10.0	22.0 short		166-016SXF	166-016SF	166-016SM	166-016SC	166-016SXC
	166-024S	859	024	10.0	21.0 short		166-024SXF	166-024SF	166-024SM	166-024SC	166-024SXC






**167 - 859L POINTED CONE**

	167-010	859L	010	11.5	24.5			167-010F	167-010M	167-010C	
	167-012	859L	012	11.5	24.5	167-012UF	167-012XF	167-012F	167-012M	167-012C	167-012XC
	167-018	859L	018	11.5	24.5				167-018M	167-018C	


**169 - 845 FLAT END TAPER**

	169-010	845	010	3.5	19.0				169-010M	169-010C	
	169-011S	845	011	3.5	17.0 short			169-011SF	169-011SM		

**170 - 845 FLAT END TAPER**

	170-012	845	012	4.0	19.0				170-012M	170-012C	
	170-014	845	014	4.0	19.0			170-014F	170-014M	170-014C	
	170-016	845	016	4.0	19.0				170-016M	170-016C	170-016XC
	170-021	845	021	5.2	19.0			170-021F	170-021M		
	170-016SH	845	016	4.0	14.0 Xshort				170-016SHM		








FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse


**173 - 848 FLAT END TAPER**

	173-016S	848	016	10.0	21.5 short		173-016SXF	173-016SF	173-016SM	173-016SC	173-016SXC
	173-018S	848	018	10.0	21.5 short			173-018SF	173-018SM	173-018SC	173-018SXC
	173-021S	848	021	10.0	21.5 short			173-021SF	173-021SM	173-021SC	173-021SXC







**174 - 848L FLAT END TAPER**

	174-013	848L	013	11.5	24.5		174-013XF	174-013F	174-013M	174-013C	
	174-020	848L	020	11.5	24.5				174-020M	174-020C	
	174-022	848L	022	11.5	24.5				174-022M		














**190 FLAME OGIVAL SAFE END**


	190-018		018	9.5	21.0					190-018C	
--	---------	--	-----	-----	------	--	--	--	--	----------	--

**196 - 849 ROUND END TAPER**

	196-009	849	009	4.0	19.0			196-009F	196-009M		
	196-010	849	010	4.0	19.0				196-010M	196-010C	
	196-015	849	015	4.0	19.0			196-015F	196-015M	196-015C	196-015XC
	196-016	849	016	4.0	19.0		196-016XF	196-016F			
	196-020	849	020	4.0	19.0		196-020XF	196-020F			
	196-026	849	026	4.0	19.0				196-026M	196-026C	
















**197 - 855 ROUND END TAPER**

	197-012	855	012	6.5	21.0			197-012F	197-012M	197-012C	197-012XC
	197-014	855	014	6.5	21.0			197-014F	197-014M	197-014C	197-014XC
	197-016	855	016	6.5	21.0				197-016M	197-016C	197-016XC
	197-023	855	023	7.0	21.0		197-023XF	197-023F	197-023M	197-023C	197-023XC
	197-025	855	025	7.0	21.0				197-025M	197-025C	197-025XC
	197-013SH	855	013	6.5	16.5 Xshort			197-013SHF	197-013SHM		
	197-016SH	855	016	6.0	16.5 Xshort				197-016SHM	197-016SHC	197-016SHXC
	197-016SS	855	016	7.0	17.5 Sshort				197-016SSM		
	197-018SH	855	018	6.0	16.5 Xshort				197-018SHM	197-018SHC	197-018SHXC
	197-012S	855	012	7.0	18.5 short				197-012SM	197-012SC	
	197-017S	855	017	7.0	18.5 short				197-017SM	197-017SC	197-017SXC
	197-018S	855	018	7.0	18.5 short			197-018SF	197-018SM	197-018SC	197-018SXC
	197-024S	855	024	7.0	18.5 short				197-024SM	197-024SC	197-024SXC







FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse










**198 - 856 ROUND END TAPER**


	198-010	856	010	8.0	22.0				198-010M	198-010C	
	198-012	856	012	8.0	22.0			198-012F	198-012M	198-012C	
	198-014	856	014	8.0	22.0		198-014XF	198-014F	198-014M	198-014C	198-014XC
	198-015	856	015	8.0	22.0		198-015XF	198-015F	198-015M	198-015C	198-015XC
	198-016	856	016	8.0	22.0		198-016XF	198-016F	198-016M	198-016C	198-016XC
	198-017	856	017	8.0	22.0			198-017F	198-017M	198-017C	198-017XC
	198-018	856	018	8.0	22.0			198-018F	198-018M	198-018C	198-018XC
	198-019	856	019	8.0	22.0		198-019XF	198-019F	198-019M	198-019C	198-019XC
	198-021	856	021	8.0	22.0				198-021M	198-021C	198-021XC
	198-022	856	022	8.0	22.0				198-022M	198-022C	198-022XC
	198-025	856	025	8.0	22.0				198-025M	198-025C	198-025XC
	198-014S	856	014	8.0	20.0 short			198-014SF	198-014SM	198-014SC	198-014SXC
	198-016S	856	016	8.0	20.0 short		198-016SXF	198-016SF	198-016SM	198-016SC	198-016SXC
	198-019S	856	019	9.0	20.0 short			198-019SF	198-019SM	198-019SC	198-019SXC
	198-023S	856	023	8.5	20.0 short				198-023SM	198-023SC	198-023SXC

**198L - 856L ROUND END TAPER**

	198L-014	856L	014	9.0	22.0		198L-014XF	198L-014F	198L-014M	198L-014C	198L-014XC
	198L-016	856L	016	9.0	22.0		198L-016XF	198L-016F	198L-016M	198L-016C	198L-016XC
	198L-018	856L	018	9.0	22.0			198L-018F	198L-018M	198L-018C	198L-018XC
	198L-020	856L	020	9.0	22.0		198L-020XF	198L-020F	198L-020M	198L-020C	198L-020XC





**199 - 850 ROUND END TAPER**

	199-010	850	010	10.0	24.0			199-010F	199-010M	199-010C	199-010XC
	199-012	850	012	10.0	24.0			199-012F	199-012M	199-012C	199-012XC
	199-014	850	014	10.0	24.0			199-014F	199-014M	199-014C	199-014XC
	199-016	850	016	10.0	24.0		199-016XF	199-016F	199-016M	199-016C	199-016XC
	199-018	850	018	10.0	24.0		199-018XF	199-018F	199-018M	199-018C	199-018XC
	199-016SH	850	016	10.0	18.5 Xshort				199-016SHM	199-016SHC	199-016SHXC
	199-010S	850	010	10.0	22.0 short				199-010SM	199-010SC	
	199-012S	850	012	10.0	22.0 short				199-012SM	199-012SC	
	199-014S	850	014	10.0	22.0 short			199-014SF	199-014SM	199-014SC	199-014SXC






FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse



**199 - 850 ROUND END TAPER**

	199-015S	850	015	10.0	22.0 short				199-015SF	199-015SM	199-015SC	199-015SXC
	199-016S	850	016	10.0	22.0 short			199-016SXF	199-016SF	199-016SM	199-016SC	199-016SXC
	199-017S	850	017	10.0	22.0 short			199-017SXF	199-017SF	199-017SM	199-017SC	199-017SXC
	199-019S	850	019	10.0	22.0 short			199-019SXF	199-019SF	199-019SM	199-019SC	199-019SXC



**200 - 850L ROUND END TAPER**

	200-016	850L	016	11.5	24.5					200-016M	200-016C	
	200-022	850L	022	11.5	24.5					200-022M	200-022C	
	200-024	850L	024	11.5	24.5					200-024M	200-024C	






**219 SAFE END**

	219-012		012	8.0	22.0					219-012M		
	219-016		016	8.0	22.0					219-016M		


**220 SAFE END**

	220-014		014	10.0	24.0					220-014M		
	220-016		016	10.0	24.0					220-016M		



**225 - 807 INVERTED CONE**

	225-010	807	010	3.5	19.0					225-010M		
	225-013	807	013	3.5	19.0					225-013M	225-013C	
	225-015	807	015	4.0	19.0				225-015F	225-015M	225-015C	225-015XC
	225-016	807	016	4.0	19.0					225-016M	225-016C	
	225-018	807	018	5.0	19.0				225-018F	225-018M	225-018C	225-018XC





**226 - 807L INVERTED CONE**


	226-018	807L	018	7.0	21.0					226-018M	226-018C	
--	---------	------	-----	-----	------	--	--	--	--	----------	----------	--

























**233 - 830 PEAR**


	233-012	830	012	2.8	19.0					233-012M	233-012C	
	233-016	830	016	3.0	19.0				233-016XF	233-016F	233-016M	233-016C



























**234 - 830L PEAR**


	234-012	830L	012	4.0	19.0					234-012M	234-012C	
	234-014	830L	014	5.0	19.0					234-014M	234-014C	
	234-016	830L	016	5.0	19.0					234-016M	234-016C	
	234-018	830L	018	5.0	19.0					234-018M	234-018C	



FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse
<b>237 - 830R PEAR</b>											
	237-009	830R	009	1.5	19.0				237-009M		
	237-010	830R	010	3.0	19.0				237-010M	237-010C	
	237-012	830R	012	3.0	19.0		237-012XF	237-012F	237-012M	237-012C	
	237-016	830R	016	3.0	19.0				237-016M	237-016C	
	237-018	830R	018	5.0	19.0				237-018M	237-018C	
	237-021	830R	021	5.0	19.0		237-021XF	237-021F	237-021M	237-021C	
	237-032	830R	032	5.0	19.0				237-032M	237-032C	237-032XC
	237-009S	830R	009	1.5	16.0 Xshort			237-009SF	237-009SM		
	237-012S	830R	012	3.0	16.0 Xshort				237-012SM		
<b>238 - 830RL PEAR</b>											
	238-012	830RL	012	4.0	19.0				238-012M	238-012C	
	238-014	830RL	014	4.0	19.0				238-014M	238-014C	238-014XC
<b>243 - FLAME</b>											
	243-018		018	4.9	19.0			243-018F	243-018M		
	243-022		022	4.9	19.0			243-022F	243-022M		
<b>246 - 860 FLAME</b>											
	246-006S	860	006	2.2	16.5 Xshort			246-006SF			
	246-007S	860	007	2.2	16.5 Xshort			246-007SF			
<b>247 - 860 FLAME</b>											
	247-010	860	010	4.0	19.0		247-010XF	247-010F	247-010M	247-010C	
	247-012	860	012	4.0	19.0		247-012XF	247-012F	247-012M	247-012C	247-012XC
	247-014	860	014	5.0	19.0	247-014UF	247-014XF	247-014F	247-014M	247-014C	247-014XC
	247-016	860	016	5.0	19.0		247-016XF	247-016F	247-016M	247-016C	247-016XC
<b>248 - 861 FLAME</b>											
	248-012	861	012	6.0	21.0		248-012XF	248-012F	248-012M	248-012C	
	248-014	861	014	6.0	21.0		248-014XF	248-014F	248-014M	248-014C	
	248-014SH	861	014	6.5	17.5 Xshort			248-014SHF	248-014SHM	248-014SHC	
<b>249 - 862 FLAME</b>											
	249-009	862	009	8.0	22.0		249-009XF	249-009F	249-009M		
	249-010	862	010	8.0	22.0		249-010XF	249-010F	249-010M	249-010C	249-010XC




FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse
<b>249 - 862 FLAME</b>											
	249-012	862	012	8.0	22.0	□ 249-012UF	■ 249-012XF	■ 249-012F	■ 249-012M	■ 249-012C	■ 249-012XC
	249-014	862	014	8.0	22.0	□ 249-014UF	■ 249-014XF	■ 249-014F	■ 249-014M	■ 249-014C	■ 249-014XC
	249-015	862	015	8.0	22.0		■ 249-015XF	■ 249-015F	■ 249-015M	■ 249-015C	■ 249-015XC
	249-016	862	016	8.0	22.0		■ 249-016XF	■ 249-016F	■ 249-016M	■ 249-016C	■ 249-016XC
	249-018	862	018	8.0	22.0		■ 249-018XF	■ 249-018F	■ 249-018M	■ 249-018C	■ 249-018XC
	249-014SH	862	014	8.0	16.0 Xshort				■ 249-014SHM	■ 249-014SHC	
	249-010S	862	010	8.0	20.0 short			■ 249-010SF	■ 249-010SM	■ 249-010SC	
	249-012S	862	012	8.0	19.5 short	□ 249-012SUF	■ 249-012SXF	■ 249-012SF	■ 249-012SM	■ 249-012SC	
	249-014S	862	014	7.5	19.5 short		■ 249-014SXF	■ 249-014SF	■ 249-014SM	■ 249-014SC	
	249-016S	862	016	8.0	19.5 short		■ 249-016SXF	■ 249-016SF	■ 249-016SM	■ 249-016SC	■ 249-016SXC
<b>250 - 863 FLAME</b>											
	250-010	863	010	10.0	24.0		■ 250-010XF	■ 250-010F	■ 250-010M	■ 250-010C	■ 250-010XC
	250-012	863	012	10.0	24.0		■ 250-012XF	■ 250-012F	■ 250-012M	■ 250-012C	■ 250-012XC
	250-014	863	014	10.0	24.0	□ 250-014UF	■ 250-014XF	■ 250-014F	■ 250-014M	■ 250-014C	■ 250-014XC
	250-016	863	016	10.0	24.0		■ 250-016XF	■ 250-016F	■ 250-016M	■ 250-016C	■ 250-016XC
	250-018	863	018	10.0	24.0			■ 250-018F	■ 250-018M	■ 250-018C	■ 250-018XC
	250-012S	863	012	10.0	21.5 short	□ 250-012SUF	■ 250-012SXF	■ 250-012SF	■ 250-012SM	■ 250-012SC	■ 250-012SXC
<b>254 - 831 BUD</b>											
	254-009S	831	009	1.2	16.5 Xshort			■ 254-009SF			
<b>257 - 368 BUD</b>											
	257-016	368	016	3.2	19.0	□ 257-016UF	■ 257-016XF	■ 257-016F	■ 257-016M	■ 257-016C	■ 257-016XC
	257-018	368	018	4.6	20.0	□ 257-018UF	■ 257-018XF	■ 257-018F	■ 257-018M	■ 257-018C	■ 257-018XC
	257-020	368	020	4.6	20.0	□ 257-020UF	■ 257-020XF	■ 257-020F	■ 257-020M	■ 257-020C	■ 257-020XC
	257-023	368	023	5.0	20.0	□ 257-023UF	■ 257-023XF	■ 257-023F	■ 257-023M	■ 257-023C	■ 257-023XC
	257-025	368	025	5.0	20.0	□ 257-025UF	■ 257-025XF	■ 257-025F	■ 257-025M	■ 257-025C	■ 257-025XC
	257-028	368	028	4.8	19.0				■ 257-028M	■ 257-028C	
	257-032	368	032	4.8	19.0				■ 257-032M	■ 257-032C	
	257-020S	368	020	4.7	17.0 short			■ 257-020SF	■ 257-020SM	■ 257-020SC	■ 257-020SXC
	257-023LP	368	023	5.0	28.0 long			■ 257-023LPF	■ 257-023LPM		










FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse


**263-369 BUD SLENDER**

	263-025	369	025	5.0	19.0				263-025F	263-025M	263-025C	
--	---------	-----	-----	-----	------	--	--	--	----------	----------	----------	--




**277-379 EGG**

	277-012	379	012	2.8	19.0			277-012XF	277-012F			
	277-014	379	014	2.8	19.0			277-014XF	277-014F	277-014M	277-014C	
	277-016	379	016	3.4	19.0			277-016XF	277-016F	277-016M	277-016C	277-016XC
	277-018	379	018	3.4	19.0			277-018XF	277-018F	277-018M	277-018C	277-018XC
	277-021	379	021	4.1	19.0			277-021XF	277-021F	277-021M	277-021C	
	277-023	379	023	4.3	19.0			277-023XF	277-023F	277-023M	277-023C	277-023XC
	277-025	379	025	4.6	19.0			277-025XF	277-025F	277-025M	277-025C	277-025XC







**277L-379L EGG**

	277L-023	379L	023	5.2	19.0					277L-023M		
--	----------	------	-----	-----	------	--	--	--	--	-----------	--	--





**288-877 TORPEDO**


	288-010	877	010	6.0	21.0				288-010F	288-010M	288-010C	
	288-012	877	012	6.0	21.0				288-012F	288-012M	288-012C	288-012XC
	288-012S	877	012	6.0	18.5 short				288-012SF			

**289-878 TORPEDO**

	289-012	878	012	8.0	22.0				289-012F	289-012M	289-012C	289-012XC
	289-014	878	014	8.0	22.5				289-014F	289-014M	289-014C	289-014XC
	289-016	878	016	8.0	22.0					289-016M	289-016C	289-016XC
	289-014SH	878	014	8.0	16.0 Xshort					289-014SHM	289-014SHC	
	289-012S	878	012	8.0	19.5 short				289-012SF	289-012SM	289-012SC	
	289-014S	878	014	8.0	20.0 short				289-014SF	289-014SM	289-014SC	





**290-879 TORPEDO**

	290-010	879	010	9.5	24.0			290-010XF	290-010F	290-010M	290-010C	
	290-012	879	012	9.5	24.0			290-012XF	290-012F	290-012M	290-012C	
	290-014	879	014	10.0	24.0				290-014F	290-014M	290-014C	290-014XC
	290-016	879	016	10.0	24.0					290-016M	290-016C	














FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse









**297 - 877K GINGIVAL CURETTAGE**

	297-012	877K	012	6.0	20.0				■ 297-012M	■ 297-012C	
	297-014	877K	014	6.0	20.0				■ 297-014M	■ 297-014C	■ 297-014XC
	297-016	877K	016	6.0	20.0				■ 297-016M	■ 297-016C	■ 297-016XC
	297-017SH	877K	017	6.5	17.0 Xshort				■ 297-017SHM	■ 297-017SHC	


**298 - 878K GINGIVAL CURETTAGE**


	298-012	878K	012	8.0	22.0				■ 298-012M	■ 298-012C	
	298-014	878K	014	8.0	22.0				■ 298-014M	■ 298-014C	■ 298-014XC
	298-016	878K	016	8.0	22.0			■ 298-016F	■ 298-016M	■ 298-016C	■ 298-016XC
	298-018	878K	018	8.0	22.0				■ 298-018M	■ 298-018C	■ 298-018XC
	298-021	878K	021	8.0	22.0				■ 298-021M	■ 298-021C	
	298-012S	878K	012	8.0	20.0 short			■ 298-012SF	■ 298-012SM	■ 298-012SC	
	298-014S	878K	014	8.0	20.0 short			■ 298-014SF	■ 298-014SM	■ 298-014SC	■ 298-014SXC
	298-016S	878K	016	8.0	20.0 short			■ 298-016SF	■ 298-016SM	■ 298-016SC	■ 298-016SXC
	298-018S	878K	018	8.0	20.0 short			■ 298-018SF	■ 298-018SM	■ 298-018SC	■ 298-018SXC
	298-019S	878K	019	9.0	20.0 short			■ 298-019SF	■ 298-019SM	■ 298-019SC	
	298-023S	878K	023	8.0	20.0 short				■ 298-023SM	■ 298-023SC	















**299 - 879K GINGIVAL CURETTAGE**

	299-012	879K	012	9.5	24.0			■ 299-012F	■ 299-012M	■ 299-012C	■ 299-012XC
	299-014	879K	014	9.5	24.0			■ 299-014F	■ 299-014M	■ 299-014C	■ 299-014XC
	299-016	879K	016	9.5	24.0			■ 299-016F	■ 299-016M	■ 299-016C	■ 299-016XC
	299-018	879K	018	10.0	24.0				■ 299-018M	■ 299-018C	■ 299-018XC
	299-012S	879K	012	10.0	22.0 short		■ 299-012SXF	■ 299-012SF	■ 299-012SM	■ 299-012SC	■ 299-012SXC
	299-016S	879K	016	10.0	22.0 short				■ 299-016SM	■ 299-016SC	■ 299-016SXC
	299-019S	879K	019	10.0	22.0 short		■ 299-019SXF	■ 299-019SF	■ 299-019SM	■ 299-019SC	■ 299-019SXC
	299-020S	879K	020	10.0	22.0 short				■ 299-020SM	■ 299-020SC	■ 299-020SXC

**304 - 825 LENTICULAR**

	304-016	825	016	0.6	19.0			■ 304-016F	■ 304-016M		
--	---------	-----	-----	-----	------	--	--	------------	------------	--	--



FG Diamonds	ISO No.	Ref.	Head Ø1/10 mm	Head Length L1 mm	OAL L2 mm	Order Number					
						Ultra Fine	Extra Fine	Fine	Medium	Coarse	Extra Coarse
<b>465 - 392 INTERDENTAL</b>											
	465-016	392	016	5.0	19.0		465-016XF	465-016F	465-016M		
	465-018	392	018	5.0	19.0		465-018XF	465-018F	465-018M		
<b>496 - 888 POINTED FLAME</b>											
	496-012	888	012	8.0	22.0		496-012XF	496-012F	496-012M	496-012C	
	496-014	888	014	8.0	22.0		496-014XF	496-014F	496-014M	496-014C	
	496-012S	888	012	8.5	19.5 short				496-012SM	496-012SC	
<b>508C GUIDE PIN - CYLINDER</b>											
	508C-018		018	8.0	23.0			508C-018F	508C-018M		
	508C-021		021	8.0	23.0			508C-021F	508C-021M		
<b>508T GUIDE PIN - TAPER</b>											
	508T-021		021	8.0	23.0			508T-021F	508T-021M		
	508T-026		026	8.0	23.0			508T-026F	508T-026M		
<b>511 - RC5 GROSS REDUCTION CYLINDER</b>											
	511-016	RC5	016	5.0	19.0				511-016M	511-016C	511-016XC
<b>512 - RC7 GROSS REDUCTION CYLINDER</b>											
	512-017	RC7	017	7.0	22.0				512-017M	512-017C	512-017XC
<b>513 - RC8 GROSS REDUCTION CYLINDER</b>											
	513-017S	RC8	017	7.6	20.0 short				513-017SM	513-017SC	513-017SXC
<b>514 - RC9 GROSS REDUCTION CYLINDER</b>											
	514-018	RC9	018	8.0	22.5				514-018M	514-018C	514-018XC
<b>516 - RT4 GROSS REDUCTION TAPER</b>											
	516-016	RT4	016	4.0	19.0				516-016M	516-016C	516-016XC